
TECHNICAL SPECIFICATIONS THE COLUMNS ARE DESIGNED TO WITHSTAND WIND SPEED OF 35M PER SECOND, TOPOGRAPHY, GROUND ROUGHNESS & STATISTICAL FACTOR OF 1.0. - COLUMNS ARE MANUFACTURED IN COMPLIANCE TO BRITISH STANDARD BS EN 40. (BY OTHERS) - MATERIALS USED FOR LIGHTING COLUMNS ARE 125 COMPLIANCE TO BS EN 10025 S275 /JIS G3101 SS400. LIGHTING COLUMNS ARE LONGITUDINALLY SEAM WELDED CONFORM TO BS 5135 BY AUTOMATIC CONTINUOUS METAL INERT GAS (MIG) PROCESS. SPIGOT SIZE - COLUMNS ARE ANTI-CORRODED BY HOT-DIP GALVANIZED, COMPLIANCE TO GALVANIZING STANDARD BS EN ISO 1461 Ø48 SERVICE DOOR DIMENSIONS ARE GIVEN AS A GUIDE ONLY. THE ENGINEER MUST SATISFY HIMSELF THAT DIMENSIONS GIVEN ARE ADEQUATE FOR THE INSTALLATION OF THE DOUBLE SHORT ARM REQUIRED CONTROL GEAR. ALL DIMENSIONS ARE IN (mm), UNLESS OTHERWISE SPECIFIED. NOMINAL MOUNTING HEIGHT **DOUBLE** OCTAGONAL POLE SLOT BASE BOARD HINGED NON-HYGROSCOPIC MATERIAL (BY BUYER) 305 50 4⊼ EARTHING STAINLESS STEEL DOOR COVER LOCKING BOLT SECTION A-A SERVICE DOOR DETAIL **DOUBLE** HINGED SERVICE DOOR NOS. 20x35mm ONGATED HOLES. 195 C-C LOCK NUT WASHER Ф ¥ X Χſ LEVELING NUT 280 SQ. GROUND LEVEL ø16 250 W/X ?</?<// 4 SECTION X-X J-BOLT 4M/SLC/DSA/FM/RO CLIENT : DRAW NO : GALVAPOLE INDUSTRIES SDN. BHD.



Tel: 603-51213300			
Fax: 603-51212828			
Website : www.galvapole.com			
Email: sales@galvapole.com			

PROJECT : -		FILE NAME : SLC STD ISO	
DATE: 17-03-2010	DRAWN BY : A.D	CHECKED BY : CCC	SCALE : N.T.S
DRAWING TITLE :		APPROVED BY : CCC	A4 SIZE
4M STREET LIGHTING COLUMN		THE DRAWING IS THE PROPERTY OF CALVARONE INDUSTRIES CON THE	

THIS DRAWING IS THE PROPERTY OF GALVAPOLE INDUSTRIES SDN. BHD AND MUST NOT BE REPRODUCED WITHOUT THEIR PRIOR CONSENT IN WRITING. DOUBLE SHORT ARM FM